



**Table of Contents**

- A. Key indicators
- B. Indicator-based surveillance
- C. System performance

**A. Key indicators**

**Surveillance** | Performance Indicators

**25**

Number of LGAs\*

**25**

Number of LGAs that reported

**276**

Number of health facilities

**196**

Number of health facilities that reported

**70%**

Completeness at health facility level. 92% at LGA level.

**66%**

Timeliness at health facility level. 88% at LGA level.



**Alert** | W45

**30**

Total alerts raised\*\*

**100%**

% alerts verified

**0**

# alerts requiring response



**Alert** | Risk Assessment

**W45**

**Cumulative**

**0**

**18**

Low risk

**0**

**18**

Moderate risk

**0**

**22**

High risk

**0**


**1**

Very high risk

\* The reporting of **health facility level IDSR data** is currently being rolled out across Borno State. Whilst this is taking place, some LGAs are continuing to report only at the level of local government area (LGA). Therefore, completeness and timeliness of reporting is displayed at both levels in this bulletin.

\*\* **Alerts** are based on 7 weekly reportable diseases in the national IDSR reporting format (IDSR 002) and 8 additional diseases/health events of public health importance in the IDP camps and IDP hosting areas.

**Figure 1** | Trend in consultations



## B. Indicator-based surveillance

### Summary

Figure 1a | Proportional morbidity (W45)





Figure 1b | Proportional mortality (W45)



### Statistical tables [Show](#)

Table 1a | Weekly and cumulative number of reported cases

Syndrome	W45		Cumulative 2020	
	# cases	% morb. <sup>1</sup>	# cases	% morb. <sup>1</sup>
Malaria (confirmed)	6,023	16.4%	315,020	14.7%
Malaria (suspected)	8,129	22.2%	455,999	21.3%
Acute Respiratory Infection	4,991	13.6%	366,356	17.1%
Acute Watery Diarrhoea	366	1.0%	39,799	1.9%
Bloody diarrhoea	97	0.3%	8,889	0.4%
Severe Acute Malnutrition	1,411	3.9%	73,216	3.4%
Mental Health	57	0.2%	3,574	0.2%
Other	15,533	42.4%	877,525	41.0%
<b>Total cases</b>	<b>36,622</b>	<b>100%</b>	<b>2,142,609</b>	<b>100%</b>

<sup>1</sup> Proportional morbidity

Table 1b | Weekly and cumulative number of reported deaths

Syndrome	W45		Cumulative 2020	
	# deaths	% mort. <sup>2</sup>	# deaths	% mort. <sup>2</sup>
Malaria (confirmed)	1	5.6%	106	17.3%
Malaria (suspected)	4	22.2%	53	8.7%
Acute Respiratory Infection	0	0.0%	10	1.6%
Acute Watery Diarrhoea	0	0.0%	0	0.0%
Bloody diarrhoea	0	0.0%	0	0.0%
Severe Acute Malnutrition	0	0.0%	23	3.8%
Maternal death	0	0.0%	16	2.6%
Neonatal death	1	5.6%	102	16.7%
Other	12	66.7%	301	49.3%
<b>Total deaths</b>	<b>18</b>	<b>100%</b>	<b>611</b>	<b>100%</b>


<sup>2</sup> Proportional mortality

Table 1c | Immediately notifiable diseases (IDSR 002)

Disease	W45		Cumulative 2020	
	# cases	# deaths	# cases	# deaths
AFP <sup>1</sup> /Polio	4	0	110	0
Measles (suspected)	15	0	2,232	4
Meningitis (suspected)	1	0	27	0
Cholera (suspected)	0	0	3	0
Viral Haemorrhagic Fever (suspected)	0	0	11	3
Yellow Fever (suspected)	2	0	96	0
Guinea worm (suspected)	0	0	0	0
Human Influenza (suspected) <sup>2</sup>	0	0	0	0

<sup>1</sup> Acute Flaccid Paralysis <sup>2</sup> caused by a new subtype

Figure 2a | Age breakdown



Total case fatality due to malaria in W45 was 0.0% .

Figure 2b | Trend in number of cases over time (Borno State)




Figure 2c | Number of cases by LGA





Figure 3a | Age breakdown



Total case fatality due to measles in W45 was 0.0% .

Figure 3b | Trend in number of cases over time (Borno State)






Figure 3c | Number of cases by LGA




**Figure 4a | Age breakdown**




Total case fatality due to acute respiratory infection in W45 was 0.0% .


**Figure 4b | Trend in number of cases over time (Borno State)**



**Figure 4c | Number of cases by LGA**




**Figure 5a | Age breakdown**




Total case fatality due to Acute Watery Diarrhoea in W45 was 0.0% .


**Figure 5b | Trend in number of cases over time (Borno State)**



**Figure 5c | Number of cases by LGA**




**Figure 6a | Age breakdown**




Total case fatality due to bloody diarrhoea in W45 was 0.0% .

**Figure 6b | Trend in number of cases over time (Borno State)**




**Figure 6c | Number of cases by LGA**




Severe Acute Malnutrition [Show](#)

**Figure 7a | Age breakdown**




Total case fatality due to SAM in W45 was 0.0% .

**Figure 7b | Trend in number of cases over time (Borno State)**



**Figure 7c | Number of cases by LGA**



## C. System performance

Statistical tables [Show](#)

**Table 9a** | Surveillance performance indicators by LGA (W45)

Location	Reporting		Performance	
	# sites	# reports received	Comp. <sup>3</sup>	Time. <sup>4</sup>
Askira Uba	29	23	79%	79%
Bama	4	3	75%	75%
Bayo	11	8	73%	73%
Biu	22	21	91%	91%
Chibok	11	7	64%	64%
Dambo	14	10	71%	71%
Dikwa	7	5	71%	71%
Gubio	5	5	100%	100%
Guzamala	0	0	0%	100%
Gwoza	8	8	100%	63%
Hawul	14	8	57%	57%
Jere	26	20	73%	73%
Kaga	5	5	100%	100%
Kala/Balge	3	0	0%	0%
Konduga	16	16	100%	100%
Kukawa	0	0	0%	100%
Kwaya Kusar	11	6	55%	55%
Mafa	7	4	57%	57%
Magumeri	9	7	78%	78%
Maiduguri	19	10	53%	53%
Mobbar	2	0	0%	0%
Monguno	18	6	28%	22%
Ngala	6	4	67%	67%
Nganzai	4	4	100%	100%
Shani	25	16	64%	36%
<b>Borno State</b>	<b>276</b>	<b>196</b>	<b>70%</b>	<b>66%</b>

**Table 9b** | Alert performance indicators by LGA

Syndrome	W45		Cumulative 2020	
	# alerts	% verif.	# alerts	% verif.
Askira Uba	2	100%	116	86%
Bama	3	100%	83	83%
Bayo	3	100%	109	92%
Biu	4	100%	108	87%
Chibok	1	100%	72	92%
Dambo	3	100%	113	71%
Dikwa	0	0%	28	75%
Gubio	0	0%	28	96%
Guzamala	0	0%	0	0%
Gwoza	0	0%	63	78%
Hawul	1	100%	59	97%
Jere	4	100%	234	94%
Kaga	0	0%	16	100%
Kala/Balge	0	0%	13	85%
Konduga	4	100%	165	93%
Kukawa	0	0%	0	0%
Kwaya Kusar	0	0%	50	88%
Mafa	0	0%	46	85%
Magumeri	2	100%	105	79%
Maiduguri	1	100%	263	89%
Mobbar	0	0%	35	71%
Monguno	0	0%	152	83%
Ngala	0	0%	29	79%
Nganzai	2	100%	34	94%
Shani	0	0%	70	79%
<b>Borno State</b>	<b>30</b>	<b>100%</b>	<b>1,991</b>	<b>87%</b>

<sup>3</sup> Completeness of reporting (at health facility level)

<sup>4</sup> Timeliness of reporting (at health facility level)

### Contact Information

#### Samuel B Thliza

State Epidemiologist  
Ministry of Health  
Maiduguri, Nigeria  
Email: [thliza25@gmail.com](mailto:thliza25@gmail.com)  
Telephone: 0708 093 0851

#### Dr Uzoma Ugochukwu

Health Information Management Unit  
WHO Health Emergencies Programme Office  
Maiduguri, Nigeria  
Email: [ugochukwu@who.int](mailto:ugochukwu@who.int)  
Telephone: 0703 729 5937

#### Nigeria EWARS

has been deployed since September 2016 in response to the humanitarian crisis in North-Eastern Nigeria. It is supporting MoH and partners to strengthen mortality and disease surveillance. <http://ng.ewars.ws/login>

